

Message

---

**From:** Fernandez, Cristina [Fernandez.Cristina@epa.gov]  
**Sent:** 5/5/2021 2:30:14 PM  
**To:** Chow, Alice [chow.alice@epa.gov]  
**Subject:** RE: EtO - Letter from Counsel Representing Citizens

Yes, please draft a response with what we know so far and what we as an agency plan to do.

Thanks, Cristina

Cristina Fernandez, Director  
Air & Radiation Division (3AD00)  
U. S. Environmental Protection Agency, Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2023  
Work: (215) 814-2178  
Cell: (215) 375-0847

---


**From:** Chow, Alice <chow.alice@epa.gov>  
**Sent:** Tuesday, May 04, 2021 1:48 PM  
**To:** Fernandez, Cristina <Fernandez.Cristina@epa.gov>  
**Subject:** FW: EtO - Letter from Counsel Representing Citizens

I have the Stack test report for B. Braun. The report had a greater than 99.9% control efficiency. PADEP NERO was planning an inspection but I don't know if that occurred. I do know that the EtO Commercial Sterilizer MACT will be revised (proposal is in OMB) and EPA plans to have webinars to the communities explaining the changes. We can draft something but we would not be able to speak to the cancer incidence since we don't have data.

Alice

---

Alice H. Chow  
Chief, Air Quality Analysis Branch (3AD40)  
Air & Radiation Division (14-130)  
USEPA, Region 3  
Phone: 215-814-2144  
Cell: 215-817-4380  
Email: [chow.alice@epa.gov](mailto:chow.alice@epa.gov)



---

**From:** Esher, Diana <Esher.Diana@epa.gov>  
**Sent:** Tuesday, May 04, 2021 1:35 PM  
**To:** Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Fernandez, Cristina <Fernandez.Cristina@epa.gov>  
**Cc:** Chow, Alice <chow.alice@epa.gov>; Dunn, Michael <dunn.michael@epa.gov>; Leonard, Paul

<leonard.paul@epa.gov>; Kreider, Andrew <Kreider.Andrew@epa.gov>

**Subject:** EtO - Letter from Counsel Representing Citizens

Please see the attached letter regarding EtO emissions from B. Braun's plant in Allentown, PA.  
Let me know if you recommend that we follow up or acknowledge in any way.

Diana Esher  
Acting Regional Administrator  
US EPA Region 3  
215-814-2706  
[esher.diana@epa.gov](mailto:esher.diana@epa.gov)

---

**From:** Bosworth, Thomas <[thomas.bosworth@klinespecter.com](mailto:thomas.bosworth@klinespecter.com)>

**Sent:** Tuesday, May 04, 2021 12:46 PM

**To:** Esher, Diana <[Esher.Diana@epa.gov](mailto:Esher.Diana@epa.gov)>

**Subject:** B. Braun

To Whom It May Concern:

Please see attached correspondence directed to Regional Administrator Esher.

Very truly yours,

**Thomas E. Bosworth, Esq.**  
Kline & Specter, P.C.  
(215) 772-0538